



Excellence In Flooring



Wood flooring - perfect in every aspect

Discover a world where a solid oak base matters. Our wood flooring stands out thanks to its exceptional durability and hardness and dazzles with its unique beauty and perfect finish. It's an investment that will help you create the perfect interior: elegant, warm feeling, stylish, timeless... just what you need!



The innovative parquet double-layer board system

Our parquet is the perfect solution for modern interior design! The two-layer material we use combines the durability and elegance of premium hardwood with the ease and speed of hassle-free installation. This high quality wood flooring can be used immediately after installation, as protection and finish are applied to the tiles during their production! The top layer consists of a noble oak frieze, approximately 4 mm thick, and the bottom layer is a solid softwood or hardwood subfloor. Multiple varnishing or hybrid oiling processes and UV hardening of wooden elements guarantee the highest possible durability and resistance of the flooring to mechanical damage, while maintaining its natural aesthetic and functional qualities.




Attention to detail and supreme

Our wood flooring are the product of multiple professionals working together with passion and full commitment. Each stage of the process of creating products is entrusted only to highly qualified and experienced professionals who accept no compromises when it comes to quality and place great attention on every detail of the wood they work with.

The combination of exceptional quality and a perfect finish guarantees that the oak flooring will perfectly meet all of your expectations and satisfy all your needs. When dealing with us, you can demand the best! It is our genuine pleasure to provide you with a top-quality product that we are simply certain is of exceptional value.

Our flooring will be a perfect match for the interiors of your house, apartment or office and you will be able to enjoy its benefits for years to come.





Excellence

The result? Products that are perfect in every respect, meet strict quality guidelines, are indisputably beautiful and original, and comply with all European and global standards. Royal Floor floors both boldly set interior trends and prudently follow fashion and meet the expectations of even the most demanding customers.



Harmony with nature - beautiful interiors of a home inspired



La dolce vita! Cozy interior in Rome!



Collections



RF-24/111



RF-24/112



RF-24/113



RF-24/114



RF-24/115



RF-24/116



RF-24/117



RF-24/118



RF-24/119



RF-24/120



RF-25/111



RF-25/112




RF-25/113



RF-25/114



RF-25/115



RF-25/116



RF-25/117



RF-25/118



RF-25/119



RF-25/120



RF-26/111




RF-26/112



RF-26/113



RF-26/114



RF-26/115



RF-26/116



RF-26/117





RF-28/111



RF-28/112




RF-28/113



RF-28/114



RF-28/115



RF-28/116



RF-28/117



RF-28/118



RF-28/119



RF-28/120



RF-29/111



RF-29/112



RF-29/113



RF-29/114



RF-29/115



RF-29/116



RF-29/117



RF-29/118



RF-29/119



RF-29/120



RF-30/111



RF-30/112



RF-30/113



RF-30/116



RF-30/117



RF-30/118



FORMATS



Parquet

70 x 490 mm

Thickness of the board in mm: 11



Board

120 x 800/1000/1200/1400 mm

Thickness of the board in mm: 9 10 13 14



150 x 800/1000/1200/1400 mm

Thickness of the board in mm: 9 10 13 14



190 x 1700/1800/1900/2000 mm

Thickness of the board in mm: 13 14



Chevron 45

90 x 610 mm

Thickness of the board in mm:

10 14



120 x 880 mm

Thickness of the board in mm:

10 14



150 x 640 mm

Thickness of the board in mm:

10 14



190 x 800 mm

Thickness of the board in mm:

10 14



Chevron 22

90 x 655 mm

Thickness of the board in mm:

10 14



120 x 920 mm

Thickness of the board in mm:

10 14



150 x 920 mm

Grubość deski w mm:

10 14



Living

70 x 490 mm

Thickness of the board in mm:

11



90 x 900 mm

Thickness of the board in mm:

11



100 x 500 mm

Thickness of the board in mm:

14



120 x 600 mm

Thickness of the board in mm:

10 14



150 x 600 mm

Thickness of the board in mm:

10 14

